# MUSCLE & NERVE



Official Journal of the American Association of Electrodiagnostic Medicine

# **AUTHOR INDEX TO VOLUME 24**

This index lists, in alphabetical order, the names of authors of all articles and book reviews. Full citation is provided under the first author only, with reference made from joint authors. Book reviews are distinguished from articles by the letter B after the page number.

AAEM Quality Assurance Committee: Literature review of the usefulness of repetitive nerve stimulation and single fiber EMG in the electrodiagnostic evaluation of patients with suspected myasthenia gravis or Lambert-Eaton myasthenic syndrome, 1239

AAEM quality assurance committee: practice parameter for repetitive nerve stimulation and single fiber EMG evaluation of adults with suspected myasthenia gravis or Lambert-Eaton myasthenic syndrome: Summary statement, 1236

Abbruzzese M, see Grandis M Aboussouan LS, Khan SU, Banerjee M. Arroliga AC, Mitsumoto H: Objective measures of the efficacy of noninvasive positive-pressure ventilation in amyotrophic lateral sclerosis, 403

Abrams GM: Management of Persons with Chronic Neurologic Illness, 446-B

Accornero N, see Gregori B Adams C, see Wilmshurst [M Aitkens SG, see Kilmer DD Albrecht G, see Lahrmann H Ali M, see Koul RI. Alkhersam H, see Katz JS Allain H, see Le Cavorzin P Allman BL, Rice CL: Incomplete recovery of voluntary isometric force after fatigue is not affected by old age, 1156

Alstermark B, see Marchand-Pauvert V Alway SE, see Chen KD Amarenco G, Ismael SS, Bayle B, Denys P.

Kerdraon J: Electrophysiological analysis of pudendal neuropathy following traction, 116

Amato AA, see Greenberg SA Amato AA, see Katz JS Amato AA, see Saperstein DS

Aminoff MJ: Aids to the Examination of the Peripheral Nervous System (4th Ed.), 975-B

Aminoff MJ: Principles of Neural Science, 4th Edition, 839-B

Andersen KV, see Kiernan MC Andersen PM, see Weber M

Anderson J, Li Z, Goubel F: Passive stiffness is increased in soleus muscle of desmin knockout mouse, 1090

Anderson JE, see Kong J Anderson JE, see Skrabek RO

Anderson JL, Williams G, Head SI: The role of nitric oxide in diaphragmatic dysfunction in endotoxemic rats, 30

Arbogast S, Darques JL, Bregeon F, Jammes Y: Effects of endogenous nitric oxide in activation of group IV muscle

afferents, 247 Armstrong TJ, see Werner RA Arroliga AC, see Aboussouan LS Arvaniti C, see Chroni E Aubert M, see Vanuxem P Austin L, see Feeney SJ

Austin L, see White ID Avoni P, see Liguori R Awiszus F, see Becker R

B

Baba M, Simonetti S, Krarup C: Sensory potentials evoked by tactile stimulation of different indentation velocities at the finger and palm, 1213

Baker SK, Tarnopolsky MA, Bonen A: Expression of MCT1 and MCT4 in a patient with mitochondrial myopathy, Baldwin KM, see Huey KA

Balon N, see Dousset E Bamman MM, see Hunter GR Bamman MM, see Larson-Mever DE Banchi L, see Grandis M Banerjee M, see Aboussouan LS

Barbano RL, Jankovic J: Needle EMG guidance for injection of botulinum toxin, 1567

Barbero P, see Cocito D Barker AT, see Wood SM Barohn RJ, see Katz JS

Barohn RJ, see Saperstein DS Barraza C, see So YT Barreca A, see Grandis M

Barron JR, see Nicolle MW Barshop BA, see Spruijt L

Baruzzi A, see Liguori R Bawa P, see Stotz PJ

Bayle B, see Amarenco G

Becker R, Awiszus F: Physiological alterations of maximal voluntary quadriceps activation by changes of knee joint angle, 667

Beer RF, see Dewald JPA

Behm D. Power K. Drinkwater E: Comparison of interpolation and central activation ratios as measures of muscle inactivation, 925

Benditt JO, Smith TS, Tonelli MR: Empowering the individual with ALS at the end-of-life: Disease-specific advance care planning, 1706

Benjamins D, see Selcen D

Bentes C, Santos-Bento M, de Sá J, de Lurdes Sales Luís M, de Carvalho M: Allgrove syndrome in adulthood, 292

Berciano J, see Infante J Berde CB, see Meier PM Beretta S, see Jann S

Berg B: Neurology of the Newborn, 4th Edition, 1099-B

Bernat JL: Informed consent, 614 Beurskens CHG, see Gilhuis HJ

Bevdoun SR, Rison RA, Commins D: Secondary amyloidosis as a life-ending event in multifocal motor neuropathy, 1396

Bieri PL, see Verghese J Billington L, see Draviam R

Bilodeau M, Erb MD, Nichols JM, Joiner KL, Weeks JB: Fatigue of elbow flexor muscles in younger and older adults, 98

Binder-Macleod, see Kebaetse MB

Bird SJ, see Kleopa KA Bird SI, see Lacomis D

Bland IDP: Do nerve conduction studies predict the outcome of carpal tunnel decompression? 935

Blottner D, see Schoser BGH

Bonen A, see Baker SK Borg B, see Simmons Z

Boroojerdi B, Ziemann U, Chen R, Bütefisch CM, Cohen LG: Mechanisms underlying human motor system plasticity, 602

Bostock H, see Kiernan MC Bostock H. see Walters RIL Bower JJ, see White JD Boyle Jr EM, see Lille ST Bramerio M, see Jann S Brandner S, see Jung HH Bredt DS, see Zhuang W Bregeon F, see Arbogast S Bretton C, see Dalle C Brizi E, see Rende M Bromberg MB, see Singleton JR Brown BH, see Wood SM Brown ID, see Watson BV Brown KM, see Koul RL Brown MJ, see Kleopa KA Brown WF, see Chan KM Bruno R, see Rende M Brunt D, see Trimble MH Bufler J. see Haeseler G Burke D: Clinical relevance of the putative C-3-4 propriospinal system in humans, 1437 Burke D, see Lin CS-Y Burns TM, Lawn ND, Low PA, Camilleri M. Wijdicks EFM: Adynamic ileus in severe Guillain-Barré syndrome, 963 Bushnarmuth SR, see Koul RI Bûtefisch CM, see Boroojerdi B Bve A, see Wilmshurst JM Byrne E, see Feeney SI Byrne E. see Reardon KA

# C

Cafarelli E. see Mevers BM Cala LA, see Phillips BA Calcutt NA, see Rende M Camilleri M, see Burns TM Campana WM, see Rende M Campbell JN: Nerve lesions and the generation of pain, 1261 Canero G, see Gregori B Capanni C, see Sabatelli P Cappelen-Smith C, see Lin CS-Y Carrault G, see Le Cavorzin P Ceballos D, see Navarro X Chacko A, see Koul RL Chagneau F, see Le Cavorzin P Chan KM, Doherty TJ, Brown WF: Contractile properties of human motor units in health, aging, and disease, Chand RP, see Koul RL Chelimsky TC, see Patel AR Chémali KR, Suarez JI, Katirji B: Acute hypokalemic paralysis associated with long-term lithium therapy, 297 Chen KD, Alway SE: Clenbuterol reduces soleus muscle fatigue during disuse in aged rats, 211 Chen R: Magnetic Stimulation of the Human Nervous System, 299-B Chen R, see Boroojerdi B Chen ZY, Xu JG, Shen LY, Gu YD: Phrenic nerve conduction study in patients with traumatic brachial plexus palsy, 1388 Cheong M, see Zhuang W Cho S, see Richardson SJ Chokroverty S: Sleep-disordered

breathing in neuromuscular disorders: A condition in search of recognition, 451 Chokroverty S: Transcranial Magnetic Stimulation, 705-B Choong P, see Reardon KA Chroni E, Paschalis C, Arvaniti C, Zotou K, Nikolakopoulou A, Papapetropoulos T: Carpal tunnel syndrome and hand configuration, 1607 Ciaramitaro P, see Cocito D CINRG Investigators, see Escolar DM Claussen GC, see Oh SJ Clemens PR, see Escolar DM Clergue F, see Dalle C Cocito D, Isoardo G, Ciaramitaro P, Migliaretti G, Pipieri A, Barbero P, Cucci A, Durelli L: Terminal latency index in polyneuropathy with IgM paraproteinemia and anti-MAG antibody, 1278 Cockman MD, Jones MB, Prenger MC, Sheldon RJ: Magnetic resonance imaging of denervation-induced muscle atrophy: Effects of clenbuterol in the rat, 1647 Cohen LG, see Boroojerdi B Cohen RA, see Paul RH Columbaro M, see Sabatelli P Combarros O, see Infante J Commins D, see Beydoun SR Conti-Fine BM, see Navaneetham D Cucci A, see Cocito D Culcea E, see Molloy FM

# D

Dahut W, see Mollov FM Dajani B, see Oh Sl Dalle C, Schneider M, Clergue F, Bretton C, Jirounek P: Inhibition of the Ib current in isolated peripheral nerve: A novel mode of peripheral antinociception? 254 Damian MS, Sauter W. Reichmann H: Subcutaneous microdialysis in mitochondrial cytopathy, 648 Danieli-Betto D, see Megighian A Darques J-L., see Decherchi P Darques JL, see Arbogast S Daube JR: Myokymia and neuromyotonia, 1711 Daube [R, see Dyck P] Davis J, see Reardon KA De Bleecker J, see Zádor E de Carvalho M, Lopes A, Scotto M, Swash M: Reproducibility of neurophysiological and myometric measurement in the ulnar nerve-abductor digiti minimi system, 1301 de Carvalho M, see Bentes C de Groof AJC, Oerlemans FTJJ, Jost CR. Wieringa B: Changes in glycolytic network and mitochondrial design in creatine kinase deficient muscles, 1188 de Haan A, see de Ruiter Cl

de Keizer RJW, see Wirtz PW

de Lurdes Sales Luís M, see Bentes C

de Ruiter CJ, Jongen PJH, van der Woude

Eby JC, see Zhuang W
Edgerton VR, see Huey KA
Edgerton VR, see Monti RJ
Edwards RH, see Fon EA
Eisen A, Weber M: The motor cortex and
amyotrophic lateral sclerosis, 564

Dryden JD, see Kaul MP

Dumitru D, see King JC

Durelli L, see Cocito D

Duscha BD, see Green HJ

test abnormalities, 307

Dyck PJB, see Dyck PJ

Dvck PJ, O'Brien PC, Litchy WJ, Harper

CM, Daube JR, Dyck PJB: Use of

percentiles and normal deviates to

express nerve conduction and other

Dyhre-Poulsen P, see Fischer-Rasmussen

Dudley GA, see Gregory CM

LHV, de Haan A: Contractile speed and fatigue of adductor pollicis muscle in multiple sclerosis, 1173 de Sá J, see Bentes C de Tommaso M, Sciruicchio V, Spinelli A, Specchio N, Difruscolo O, Puca F. Specchio LM: Features of the blink reflex in individuals at risk for Huntington's disease, 1520 de Visser M. see Wirtz PW de Vries J, see Gilhuis HJ Debray S, see Lefaucheur J-P Decherchi P, Vuillon-Cacciutolo G, Darques J-L, Jammes Y: Changes in afferent activities from tibialis anterior muscle after nerve repair by self-anastomosis, 59 Defanti CA, see Jann S Delbono O, see González E Demirci M, see Erdem S Demirci M, see Oh SJ Dengler R, see Haeseler G Dengler R, see Rollnik JD Denys P, see Amarenco G Deslangles O, see Vanuxem P Deuschl G, Raethjen J, Lindemann M, Krack P: The pathophysiology of tremor, 716 Dewald JPA, Beer RF: Abnormal joint torque patterns in the paretic upper limb of subjects with hemiparesis, 273 Di Blasio F, see Manente G Di Stasi V, see Liguori R DiCanzio J, see Meier PM Difruscolo O, see de Tommaso M DiMauro S, Lamperti C: Muscle glycogenoses, 984 Disatnik M-H, see Zhuang W Doherty TJ, see Chan KM Donato R, see Rende M Dousset E, Steinberg JG, Balon N, Jammes Y: Effects of acute hypoxemia on force and surface EMG during sustained handgrip, 364 Draviam R, Billington L, Senchak A. Hoffman EP, Watkins SC: Confocal analysis of the dystrophin protein complex in muscular dystrophy, 262 Drinkwater E, see Behm D Drlicek M, see Lahrmann H

E

Eisen A, see Weber M Eliasson B, see Norrsell U England JD: Mutant sodium channels, myetonia, and propofol, 713 Engstrom IE, see Patel AR Engstrom IW, see Watson BV Enoka RM, Fuglevand AJ: Motor unit physiology: Some unresolved issues, 4 Epplen IT, see Vorgerd M Epstein DK, see Simmons Z Erb MD, see Bilodeau M Erdem S, Demirci M, Tan E: Focal myopathy mimicking posterior interosseous nerve syndrome, 969 Escolar DM, Henricson EK, Mayhew J, Florence J. Leshner R. Patel KM, Clemens PR. CINRG Investigators: Clinical evaluator reliability for quantitative and manual muscle testing measures of strength in children, 787

van den Berg LH: MRI of the brachial plexus in polyneuropathy associated with monoclonal gammopathy, 1312 Eurelings M, Notermans NC, Van de Donk NWCJ, Lokhorst HM: Risk factors for hematological malignancy in polyneuropathy associated with monoclonal gammopathy, 1295

Eurelings M, Notermans NC, Franssen H,

van Es HW, Ramos LMP, Wokke [H],

Escolar DM, see Koul RL

# F

Fansa H, see Frerichs O Farr AL, see Lille ST Feeney SJ, McKelvie PA, Austin L, Jean-Francois MJB, Kapsa R, Tombs SM, Byrne E: Presymptomatic motor neuron loss and reactive astrocytosis in the SOD1 mouse model of amyotrophic lateral sclerosis, 1510 Fehlings D, see Galea V Feki I, Lefaucheur J-P: Correlation between nerve conduction studies and clinical scores in diabetic neuropathy, Feldman EL, see Russell JW Felice KJ, Moore SA: Unusual clinical presentations in patients harboring the facioscapulohumeral dystrophy 4q35 deletion, 352 Figg WD, see Molloy FM Figueroa KP, see So YT Fischer-Rasmussen T, Krogsgaard M, Jensen DB, Dyhre-Poulsen P: Inhibition of dynamic thigh muscle contraction by electrical stimulation of the posterior cruciate ligament in humans, 1482 Fisher MA, see Lawlor MW Fitzek C, see Marx II Fitzek S, see Marx II Fletcher S, see O'Hara A] Floeter MK, see Molloy FM Florence J, see Escolar DM Fon EA, Edwards RH: Molecular mechanisms of neurotransmitter release, 581 Foreman PJ, see Killian JM Fraioli L, see Valeriani M

Frank N, see Lille ST
Franssen H, see Eurelings M
Franzblau A, see Werner RA
Frerichs O, Fansa H, Ziems P, Schneider W, Keilhoff G: Regeneration of peripheral nerves after clenbuterol treatment in a rat model, 1687
Friedrich CA, see Kleopa KA
Frizell M, see Norrsell U
Frontera WR, see Wilkins JT
Frost SB, see Nudo RJ
Frostick SP, see Yin Q
Fuglevand AJ, see Enoka RM

# G

Galea V, Fehlings D, Kirsch S, McComas A: Depletion and sizes of motor units in spinal muscular atrophy, 1168 Gandevia SC, see Taylor IL García A, see Infante J Garcia-Bragado F, see Perez C Garrett RS, see Rende M Garrone S, see Grandis M Gell N, see Werner RA Gellido C, see Verghese I Gencik M, see Vorgerd M Georgiadis D, see Schulte-Mattler WJ Germinario E, see Megighian A Giannini F, see Mondelli M Giaquinto S, see Valeriani M Gilchrist JM, see Paul RH Gilhuis HJ, Beurskens CHG, Marres HAM, de Vries J, Hartman EHM, Zwarts MJ: Contralateral reinnervation of midline muscles in facial paralysis, Gold BG, see Navarro X Goldstein JM, see Novella SP Goldstein JM, see Paul RH Goldstein R, see Wilkins [T Golster H, see Hyllienmark L. González E, Delbono O: Recovery from fatigue in fast and slow single intact skeletal muscle fibers from aging mouse, 1219 Gooch CL, Mosier DR: Stimulated single fiber electromyography in the mouse: Techniques and normative data, 941 Gorson KC, Ropper AH, Weinberg DH, Weinstein R: Treatment experience in patients with anti-myelin-associated glycoprotein neuropathy, 778 Gosselin LE, see Hartel JV Goubel F, see Anderson | Gramsbergen A, see Meek MF Granchelli JA, see Hartel JV Grandis M, Nobbio L, Abbruzzese M, Banchi L, Minuto F, Barreca A, Garrone S, Mancardi GL, Schenone A: Insulin treatment enhances expression of IGF-I in sural nerves of diabetic patients, 622 Green DF, see Richardson JK Green HJ, Duscha BD, Sullivan MJ, Keteyian SJ, Kraus WE: Normal skeletal muscle Na\*-K\* pump concentration in patients with chronic heart failure, 69 Greenberg SA, Amato AA: Inflammatory myopathy associated with mixed

connective tissue disease and scleroderma renal crisis, 1562 Gregori B, Accornero N, Canero G: Electrophysiologic correlates of anomalous course of the median-nerve thenar motor branch, 1248 Gregory CM, Vandenborne K, Dudley GA: Metabolic enzymes and phenotypic expression among human locomotor muscles, 387 Gress DR: Critical Care Neurology, 839-B Grisold W, see Lahrmann H Gu YD, see Chen ZY Guo Y, Petrof BJ, Hussain SNA: Expression and localization of protein inhibitor of neuronal nitric oxide synthase in Duchenne muscular dystrophy, 1468 Guschlbauer B, see Lauk M Gutiérrez-Rivas EJ, see Infante J Gutmann L, Libell D, Gutmann L: Myokymia; neuromyotonia (reply), Gutmann L, Libell D, Gutmann L: When is myokymia neuromyotonia? 151 Gutmann L, see Gutmann L

# н

Haas RH, see Spruiit L Haeseler G, Störmer M, Mohammadi B, Bufler J. Dengler R, Piepenbrock S, Leuwer M: The anesthetic propofol modulates gating in paramyotonia congenita mutant muscle sodium channels, 736 Hahn AF, see Wilmshurst JM Hainsworth R, see Kaufmann H Hallböök O, see Morren GL Hammond RR, see Nicolle MW Harper CM, see Dyck PJ Hartel JV, Granchelli JA, Hudecki MS, Pollina CM, Gosselin LE: Impact of prednisone on TGF-β1 and collagen in diaphragm muscle from mdx mice, 428 Hartman EHM, see Gilhuis HJ Hattab EM, see Hsia AW Hattori N, see Yamamoto M Hattori T, see Kuwabara S Havton LA, Hotson JR, Kellerth J-O: Partial peripheral motor nerve lesions induce changes in the conduction properties of remaining intact motoneurons, 662 Head SI, see Anderson JL Heier MS, see Ørstavik K Hellwig B, see Lauk M Helms PJ, see Russell RIR Helps B-A, see Russell RIR Henricson EK, see Escolar DM Herndier B, see Richardson SI Herrmann DN, Preston DC, McIntosh KA, Logigian EL: Localization of ulnar neuropathy with conduction block across the elbow, 698 Herrmann DN, see Logigian EL Herskovitz S, see Verghese Hildebrand C, see Jergović D Hirata K, see Tagawa Y Hirota N, see Weber M

Hoffman EP, see Draviam R
Hölker C, see Koehler J
Holodniy M, see Richardson SJ
Hopf HC, see Koehler J
Hopf HC, see Marx JJ
Hosokawa S, see Tagawa Y
Hotson JR, see Havton LA
Howard Jr JF, see Navaneetham D
Hsia AW, Hattab EM, Katz JS:
Malnutrition-induced myopathy
following Roux-en-Y gastric bypass, 1692
Hudecki MS, see Hartel JV
Huey KA, Roy RR, Baldwin KM, Edgerton
VR: Temporal effects of inactivty on
myosin heavy chain gene expression in

rat slow muscle, 517
Hunter GR, Newcomer BR, Larson-Meyer DE, Bamman MM, Weinsier RL: Muscle metabolic economy is inversely related to exercise intensity and type II myofiber distribution, 654

Hunter GR, see Larson-Meyer DE Hussain SNA, see Guo Y

Hyllienmark L, Golster H, Samuelsson U, Ludvigsson J: Nerve conduction defects are retarded by tight metabolic control in type I diabetes, 240

# 1

Ibebunjo C, Martyn J: Disparate dysfunction of skeletal muscles located near and distant from burn site in the Ikemoto-Tsuchiya K, Nishino I, Kawai M, Morimatsu M, Nonaka I: A new form of muscular dystrophy with mitochondrial structural abnormalities, 1710 Imai T, see Ono S Infante J, García A, Combarros O, Mateo JI, Berciano J, Sedano MJ Gutiérrez-Rivas EJ, Palau F: Diagnostic strategy for familial and sporadic cases of neuropathy associated with 17p11.2 deletion, 1149 Inzucchi SE, see Novella SP Ishiyama T. see Mitsumoto H Ishiyama T, see Tsuzaka K Ismael SS, see Amarenco G Isoardo G, see Cocito D Ito N. see Sasaki R Ito T. see Sugihara R Ito Y, see Yamamoto M

# J

Jakobi JM, Killinger DW, Wolfe BM,
Mahon JL, Rice CL: Quadriceps muscle
function and fatigue in women with
Addison's disease, 1040
Jamieson SC, see Richardson JK,
Jammes Y, see Arbogast S
Jammes Y, see Decherchi P
Jammes Y, see Dousset E
Jankovic J, see Barbano RL,
Jann S, Beretta S, Bramerio M, Defanti
CA: Prospective follow-up study of
chronic polyneuropathy of
undetermined cause, 1197
Jarratt JA, see Wood SM

Jarry G, see Lefaucheur J-P Jean-Francois MJB, see Feeney SJ Jensen DB, see Fischer-Rasmussen T leon H-S, see Trimble MH Jergović D, Stål P, Lidman D, Lindvall B, Hildebrand C: Changes in a rat facial muscle after facial nerve injury and repair, 1202 Jirounek P, see Dalle C Joanisse DR, see Larson-Meyer DE Johns DR, see Nardin RA Johns JS, see Walker WC Joiner KL, see Bilodeau M Jones MB, see Cockman MD Jongen PJH, see de Ruiter CJ Jost CR, see de Groof AJC Jung HH, Russo D, Redman C, Brandner S: Kell and XK immunohistochemistry in McLeod myopathy, 1346

# K

Kakulas B, see O'Hara Al Kalra A. see Sluka KA Kamen G, see Patten C Kamijo M, see Kihara M Kamper DG, Rymer WZ: Impairment of voluntary control of finger motion following stroke: Role of inappropriate muscle coactivation, 673 Kang J, see Saito T Kapsa R, see Feeney SJ Kapsa RMI, see Reardon KA Karpati G, see O'Hara Al Katirji B, see Chémali KR Katz J, see Richardson SJ Katz JS, Saperstein DS, Wolfe G, Nations SP. Alkhersam H. Amato AA. Barohn RJ: Cervicobrachial involvement in diabetic radiculoplexopathy, 794 Katz JS, see Hsia AW Katz JS, see Saperstein DS Kaufmann H, Hainsworth R: Why do we Kaul MP, Pagel KJ, Dryden JD: When to

use the combined sensory index, 1078 Kaul MP, Pagel KJ, Wheatley MJ, Dryden JD: Carpal compression test and pressure provocative test in veterans with median-distribution paresthesias, 107

Kawai M, see Ikemoto-Tsuchiya K
Kebaetse MB, Lee SCK, Binder-Macleod
SA: A novel stimulation pattern
improves performance during repetitive
dynamic contractions, 744
Keilhoff G, see Frerichs O
Kellerth J-O, see Havton LA
Kemp GJ, see Yin Q
Kerdraon J, see Amarenco G
Keteyian SJ, see Green HJ
Keyser-Marcus LA, see Walker WC
Khan SU, see Aboussouan LS
Khodorova A, Meissner K, Leeson S,
Strichartz GR: Lidocaine selectively
blocks abnormal impulses arising from

noninactivating Na channels, 634 Kiernan Mc, Lin CSY, Andersen KV, Murray NMF, Bostock H: Clinical evaluation of excitability measures in sensory nerve, 383 Kiernan MC, see Walters RJL.
Kihara M, Kamijo M, Nakasaka Y, Mitsui
Y, Takahashi M, Schmelzer JD: A small
dose of the immunosuppressive agent
FK506 (tacrolimus) protects peripheral
nerve from ischemic fiber
degeneration, 1601
Killian IM, Foreman Pl: Clinical utility of

Killian JM, Foreman PJ: Clinical utility of dorsal sural nerve conduction studies, 817

Killinger DW, see Jakobi JM
Kilmer DD, Aitkens SG, Wright NC,
McCrory MA: Response to
high-intensity eccentric muscle
contractions in persons with myopathic
disease, 1181
Kim H-D, see Trimble MH

King JC, Dumitru D, Wertsch JJ: Digit distribution of proper digital nerve action potential, 1489

Kirsch S, see Galea V Kleopa KA, Raizen DM, Friedrich CA, Brown MJ, Bird SJ: Acute axonal neuropathy in maple syrup urine disease, 284

Klinkosz B, see Mitsumoto H Klug N, see Wedekind C Koehler J, Schwarz M, Urban PP, Voth D, Hölker C, Hopf HC: Masseter reflex and blink reflex abnormalities in Chiari II malformation, 425

Koga M, see Kuwabara S
Kong J, Anderson JE: Dynamic restoration of dystrophin to dystrophin-deficient myotubes, 77

myotubes, 77
Kornhuber ME, see Schulte-Mattler, WJ
Kothari MJ, see Simmons Z
Kotsias BA, Venosa RA: Sodium influx
during action potential in innervated

during action potential in innervated and denervated rat skeletal muscles, 1026 Koul RL, Chand RP, Chacko A, Ali M.

Koul RL, Chand RP, Chacko A, Ali M, Brown KM, Bushnarmuth SR, Escolar DM, Stephan DA: Severe autosomal recessive rippling muscle disease, 1542

Krack P, see Deuschl G
Krarup C, see Baba M
Kraus WE, see Green HJ
Krivickas LS, see Wilkins JT
Krogsgaard M, see Fischer-Rasmussen T
Kruger EA, see Molloy FM
Kumamoto T, see Sugihara R
Kupsky WJ, see Selcen D
Kurek JB, see White JD
Kuwabara S, Mori M, Ogawara K, Hattori
T, Oda S, Koga M, Yuki N: Intravenous

T, Oda S, Koga M, Yuki N: Intravenous immunoglobulin therapy for Guillain–Barré syndrome with IgG anti-GM1 antibody, 54 Kuwabara S, Ogawara K, Mizobuchi K,

Mori M, Hattori T: Mechanisms of early and late recovery in acute motor axonal neuropathy, 288

Kuwabara S, see Lin CS-Y Kuzuhara S, see Sasaki R

# L

Lacomis D, Zochodne DW, Bird SJ: Critical illness myopathy (reply), 973 Lahrmann H, Albrecht G, Drlicek M, Oberndorfer S, Urbanits S, Wanschitz J, Zifko UA, Grisold W: Acquired neuromyotonia and peripheral neuropathy in a patient with Hodgkin's disease, 834

Lamperti C, see DiMauro S

Larson-Meyer DE, Newcomer BR, Hunter GR, Joanisse DR, Weinsier RL, Bamman MM: Relation between in vivo and in vitro measurements of skeletal muscle oxidative metabolism. 1665

Larson-Meyer DE, see Hunter GR
Lattanzi G, see Sabatelli P
Lauk M, Timmer J, Guschlbauer B,
Hellwig B, Lücking C-H: Variability of
frequency and phase between
antagonistic muscle pairs in
pathological human tremors, 1365

Lauria G, Sghirlanzoni A, Lombardi R, Pareyson D: Epidermal nerve fiber density in sensory ganglionopathies: Clinical and neurophysiologic correlations, 1034

Lawlor MW, Richards MP, Fisher MA, Stubbs Jr EB: Sensory nerve conduction deficit in experimental monoclonal gammopathy of undetermined significance (MGUS) neuropathy, 809

Lawn ND, see Burns TM Layzer RB: Myasthenia Gravis and Myasthenic Disorders, 446-B

Le Cavorzin P, Poudens SA, Chagneau F, Carrault G, Allain H, Rochcongar P: A comprehensive model of spastic hypertonia derived from the pendulum test of the leg, 1612

Le Pera D, see Valeriani M Lee SCK, see Kebaetse MB Leeson S, see Khodorova A Lefaucheur J-P, Debray S, Jarry G: Laser evoked potentials using the Nd:YAG

laser, 496
Lefaucheur J-P, see Feki I
Lefler SR, see Lille ST
Lehto V-P, see Poussu AM
Leshner R, see Escolar DM
Leuwer M, see Haeseler G
Li M, see Yamamoto M
Li Z, see Anderson J
Libell D, see Gutmann L
Lichtenstein SH, see Sax TW

Lidman D, see Jergović D Liguori R, Avoni P, Baruzzi A, Di Stasi V, Montagna P: Familial continuous motor unit activity and epilepsy, 630

Lille ST, Lefler SR, Mowlavi A, Suchy H, Boyle Jr EM, Farr AL, Su C-Y, Frank N, Mulligan DC: Inhibition of the initial wave of NF-κB Activity in rat muscle reduces ischemia/reperfusion injury, 534

Lin CS-Y, Mogyoros I, Kuwabara S, Cappelen-Smith C, Burke D: Differences in responses of cutaneous afferents in the human median and sural nerves to ischemia, 1503

Lin CSY, see Kiernan MC Lindehammar H, see Morren GL Lindemann M, see Deuschl G Lindvall B, see Jergović D Linfante I, see Sax TW
Litchy WJ, see Dyck PJ
Lloyd F, see O'Hara AJ
Lochmüller H, see O'Hara AJ
Logigian EL, Soriano SG, Herrmann DN,
Madsen JR: Gentle dorsal root
retraction and dissection can cause
areflexia: Implications for
intraoperative monitoring during
"selective" partial dorsal rhizotomy,
1359

Lokhorst HM, see Eurelings M
Lombardi R, see Lauria G
Lomen-Hoerth C, Olney RK: Effect of
recording window and stimulation
variables on the statistical technique of
motor unit number estimation, 1659
Lopes A, see de Carvalho M
Lopez F, see Richardson SJ

Lopez F, see Richardson SJ Low PA, see Burns TM Luciano CA, see Weiss MD Lücking C-H, see Lauk M Ludvigsson J, see Hyllienmark L

Logigian EL, see Herrmann DN

M

Madsen JR, see Logigian EL Mahon JL, see Jakobi JM Mäkinen MJ, see Poussu AM Malessy MJA, see van Dijk JG Malik K, see Rivner MH Malin J-P, see Vorgerd M Mancardi GL, see Grandis M Manente G, Torrieri F, Di Blasio F, Staniscia T, Romano F, Uncini A: An innovative hand brace for carpal tunnel syndrome: A randomized controlled trial, 1020 Maraldi NM, see Sabatelli P Maravi E, see Perez C Marchand-Pauvert V, Mazevet D, Pradat-Diehl P, Alstermark B, Pierrot-Deseilligny E: Interruption of a relay of corticospinal excitation by a spinal lesion at C6-C7, 1554 Marques MJ, see Minatel E Marres HAM, see Gilhuis HJ Marsili T, see Mondelli M Martini R: The effect of myelinating Schwann cells on axons, 456 Martyn J, see Ibebunjo C Marx JJ, Thoemke F, Fitzek S, Vucurevic G, Fitzek C, Mika-Gruettner A, Urban PP, Stoeter P, Hopf HC Topodiagnostic value of blink reflex R1 changes: A digital postprocessing MRI correlation study, 1327 Mastaglia FL, see Phillips BA Mateo Jl. see Infante J

correlation study, 1327
Mastaglia FL, see Phillips BA
Mateo JI, see Infante J
Matloub HS, see Yu P
Matsumura T, see Saito T
Mauger DT, see Simmons Z
Mayhew J, see Escolar DM
Mazevet D, see Marchand-Pauvert V
McC Howell J, see O'Hara AJ
McComas A, see Galea V
McCrory MA, see Kilmer DD
McGowan KA, see Spruijt L
McIntosh KA, see Herrmann DN

McKelvie PA, see Feeney SJ McNeeley KJ, see Patel AR Meek MF, van der Werff JFA, Nicolai J-PA, Gramsbergen A: Biodegradable p(DLLA-s-CL) nerve guides versus autologous nerve grafts: Electromyographic and video analysis, 753

Megighian A, Germinario E, Rossini K, Midrio M, Danieli-Betto D: Nerve control of type 2A MHC isoform expression in regenerating slow skeletal muscle, 47

Meier PM, Berde CB, DiCanzio J, Zurakowski D, Sethna NF: Quantitative assessment of cutaneous thermal and vibration sensation and thermal pain detection thresholds in healthy children and adolescents, 1339 Meissner K, see Khodorova A

Melo AC, see Oh SJ Melsom A, see Phillips BA Mendler L, see Zádor E Merlini L, see Sabatelli P Meyers BM, Nguyen J, Cafarelli E: Obtaining force-frequency curves y

Obtaining force-frequency curves with a single 3-second train of stimuli, 1332 Midrio M, see Megighian A

Midroni G, Moulton R: Radial entrapment neuropathy due to chronic injection-induced triceps fibrosis, 134 Migliaretti G, see Cocito D

Migliaretti G, see Cocito D Mika-Gruettner A, see Marx JJ Miller TA, see Nicolle MW

Minatel E, Neto HS, Marques MJ: Acetylcholine receptors and neuronal nitric oxide synthase distribution at the neuromuscular junction of regenerated muscle fibers, 410

Minuto F, see Grandis M Miralles F: Computer simulation of jitter

phenomenon in neuromuscular transmission disorders, 1635 Mitsui Y, see Kihara M Mitsuma N, see Yamamoto M

Mitsumoto H, Klinkosz B, Pioro EP, Tsuzaka K, Ishiyama T, O'Leary RM, Pennica D: Effects of cardiotrophin-1 (CT-1) in a mouse motor neuron disease, 769

Mitsumoto H, see Aboussouan LS Mitsumoto H, see Tsuzaka K Miyai I, see Saito T Mizisin AP, see Rende M Mizobuchi K, see Kuwabara S Mogyoros I, see Lin CS-Y Mohammadi B, see Haeseler G

Mohapatra PK, see Zhuang W Molloy FM, Floeter MK, Syed NA, Sandbrink F, Culcea E, Steinberg SM, Dahut W, Pluda J, Kruger EA, Reed E, Figg WD: Thalidomide neuropathy in patients treated for metastatic prostate

cancer, 1050
Mondelli M, Vecchiarelli B, Reale F,
Marsili T, Giannini F: Sympathetic skin
response before and after surgical
release of carpal tunnel syndrome, 130
Montagna P, see Liguori R

Monti RJ, Roy RR, Edgerton VR: Role of

motor unit structure in defining function, 848 Moore SA, see Felice KJ Moore SA, see Sluka KA Morgan DL, Proske U: On the branching of motoneurons, 372 Mori M, see Kuwabara S Morimatsu M, see Ikemoto-Tsuchiya K Morren GL, Walter S, Lindehammar H. Hallböök O, Sjödahl R: Latency of compound muscle action potentials of the anal sphincter after magnetic sacral stimulation, 1232 Mortier J. see Vorgerd M Mortier W, see Vorgerd M Mosier DR, see Gooch CL. Moulton R. see Midroni G

Mowlavi A, see Lille ST Mozaffar T: Critical illness myopathy, 973 Müller T, Schröder R, Zierz S: GCG repeats and phenotype in oculopharyngeal muscular dystrophy, 120

Müller T, see Schulte-Mattler WJ Mulligan DC, see Lille ST Murakami T, see Sasaki R Murray NMF, see Kiernan MC Murray NMF, see Walters RJL

# N

Nagane Y. Utsugisawa K. Obara D. Tohgi H: NKT-associated markers and perforin in hyperplastic thymuses from patients with myasthenia gravis, 1359 Nakamura Y, see Takahashi T Nakasaka Y, see Kihara M Nardin RA, Johns DR: Mitochondrial dysfunction and neuromuscular disease, Narini P, see Yu P Nash JM, see Paul RH Nations SP, see Katz JS Navaneetham D, Penn AS, Howard Jr JF, Conti-Fine BM: Human thymuses express incomplete sets of muscle acetylcholine receptor subunit transcripts that seldom include the 8 subunit, 203 Navarro X, Udina E, Ceballos D, Gold

Navarro X, Udina E, Ceballos D, Gold BG: Effects of FK506 on nerve regeneration and reinnervation after graft or tube repair of long nerve gaps, 905

Naviaux RK, see Spruijt L Neto HS, see Minatel E Newcomer BR, see Hunter GR Newcomer BR, see Larson-Meyer DE Nguyen J, see Meyers BM Nichols JM, see Bilodeau M Nicolai J-PA, see Meek MF Nicolle MW, Barron JR, Watson BV, Hammond RR, Miller TA: Wartenberg's migrant sensory neuritis, 438 Nicolle MW, see Watson BV Nikolakopoulou A, see Chroni E Nishino I. see Ikemoto-Tsuchiya K Nobbio L, see Grandis M Nonaka I, see Ikemoto-Tsuchiya K Norrsell U. Eliasson B, Frizell M, Wallin

BG, Wesslau C, Olausson H: Tactile directional sensibility and diabetic neuropathy, 1496 Notermans NC, see Eurelings M Novella SP, Inzucchi SE, Goldstein [M:

Novella SP, Inzucchi SE, Goldstein JM: The frequency of undiagnosed diabetes and impaired glucose tolerance in patients with idiopathic sensory neuropathy, 1229

Nozaki S, see Saito T Nudo RJ, Plautz EJ, Frost SB: Role of adaptive plasticity in recovery of function after damage to motor cortex, 1000 Nyhan WL, see Spruijt L

# 0

Obara D, see Nagane Y Oberndorfer S, see Lahrmann H O'Brien JS, see Rende M O'Brien PC, see Dvck PJ Oda S. see Kuwabara S Oerlemans FT[], see de Groof AJC Ogawara K, see Kuwabara S Ognibene A, see Sabatelli P Oh SJ, Demirci M, Dajani B, Melo AC, Claussen GC: Distal sensory nerve conduction of the superficial peroneal nerve: New method and its clinical application, 689 O'Hara AJ, McC Howell J, Taplin RH, Fletcher S, Lloyd F, Kakulas B, Lochmüller H, Karpati G: The spread of transgene expression at the site of gene construct injection, 488 Ohnishi A, see Tagawa Y Ohyama T, see Takahashi T Olausson H, see Norrsell U O'Leary RM, see Mitsumoto H Olney RK, see Lomen-Hoerth C Ono S, Shimizu N, Imai T, Rodriguez GP: Urinary collagen metabolite excretion in amyotrophic lateral sclerosis, 821 Ørstavik K, Heier MS, Young P, Stögbauer F: Brachial plexus involvement as the only expression of hereditary neuropathy with liability to pressure palsies, 1093 Ouvrier R, see Wilmshurst JM

# D

Pagel KJ, see Kaul MP Palau F, see Infante l Pamphlett R, see Wilmshurst JM Papapetropoulos T, see Chroni E Parevson D. see Lauria G Parshad A, see Tarnopolsky MA Paschalis C, see Chroni E Patel AR, Engstrom JE, Tusing LD, McNeeley KJ, Chelimsky TC: Lower body negative pressure: A test of cardiovascular autonomic function, 481 Patel KM, see Escolar DM Patten C, Kamen G, Rowland DM: Adaptations in maximal motor unit discharge rate to strength training in young and older adults, 542

 Paul RH, Nash JM, Cohen RA, Gilchrist JM, Goldstein JM: Quality of life and well-being of patients with myasthenia gravis, 512
 Penn AS, see Navaneetham D

Pannica D, see Missumoto H

Pennica D, see Mitsumoto H
Perez C, Maravi E, Garcia-Bragado F:
Polymyalgia rheumatica as the initial
manifestation of skeletal muscle
arteritis with giant cells, 1403
Petrof BJ, see Guo Y

Petrof BJ, see Guo Y Phillips BA, Cala LA, Thickbroom GW, Melsom A, Zilko PJ, Mastaglia FL: Patterns of muscle involvement in inclusion body myositis: Clinical and magnetic resonance imaging study. 1526

Piepenbrock S, see Haeseler G Pierrot-Deseilligny E, see Marchand-Pauvert V Pioro EP, see Mitsumoto H Pioro EP, see Tsuzaka K Pipieri A, see Cocito D Plautz EJ, see Nudo RJ Pluda J, see Molloy FM Podnar S, Vodušek DB: Standardization of anal sphincter electromyography: Utility of motor unit potential parameters, 946 Pollard JD, see Wilmshurst JM Pollina CM, see Hartel [V Pondaag W, see van Dijk JG Poudens SA, see Le Cavorzin P Pouliquen G, see Vanuxem P Poussu AM, Thompson PH, Mäkinen MJ,

Lehto V-P: Vear, a novel golgi-associated protein, is preferentially expressed in type I cells in skeletal muscle, 127
Power K, see Behm D
Pradat-Diehl P, see Marchand-Pauvert V
Prenger MC, see Cockman MD
Preston DC, see Herrmann DN
Proske U, see Morgan DL
Provenzano C, see Rende M
Puca F, see de Tommaso M
Pulst S-M, see So YT

# Q

Quarles RH, see Weiss MD

# R

Raethjen J, see Deuschl G Raharison L, see Vanuxem P Raizen DM, see Kleopa KA Ramos LMP, see Eurelings M Ramsav D, see Wilmshurst [M Rando TA: The dystrophin-glycoprotein complex, cellular signaling, and the regulation of cell survival in the muscular dystrophies, 1575 Rando TA, see Zhuang W Ranghi F, see Valeriani M Reale F. see Mondelli M Reardon KA, Davis J, Kapsa RMI, Choong P, Byrne E: Myostatin, insulin-like growth factor-1, and leukemia inhibitory factor mRNAs are

upregulated in chronic human disuse muscle atrophy, 893 Redman C, see Jung HH Reed E, see Molloy FM

Reichmann H, see Damian MS
Rende M, Brizi E, Donato R, Provenzano
C, Bruno R, Mizisin AP, Garrett RS,
Calcutt NA, Campana WM, O'Brien JS:
Prosaposin is immunolocalized to
muscle and prosaptides promote
myoblast fusion and attenuate loss of
muscle mass after nerve injury, 799

Rennie D: Who did what? Authorship and contribution in 2001, 1274

Rice CL., see Allman BL
Rice CL., see Jakobi JM
Richards MP, see Lawlor MW
Richardson JK. Green DF, Jamieson SC,
Valentin FC: Gender, body mass and
age as risk factors for ulnar
mononeuropathy at the elbow, 551

Richardson SJ, Lopez F, Rojas S, Cho S, Holodniy M, Herndier B, Katz J: Multinodular polymyositis in a patient with human immunodeficiency and hepatitis C virus coinfection, 433

Rison RA, see Beydoun SR Rittey C, see Wilmshurst JM

Rivner MH, Swift TR, Malik K: Influence of age and height on nerve conduction, 1134

Robertson VJ, see Ward AR Robinson LR: Test-retest reliability of combined sensory index (reply), 1097

Rochcongar P, see Le Cavorzin P Rodriguez GP, see Ono S Rojas S, see Richardson SJ

Rollnik JD, Siggelkow S, Schubert M, Schneider U, Dengler R: Muscle vibration and prefrontal repetitive transcranial magnetic stimulation, 112

Romani A, see Versino M
Romano F, see Manente G
Ropper AH, see Gorson KC
Rose-Innes A, see Watson BV
Rosenbaum R: Neuromuscular
complications of connective tissue

diseases, 154
Rossini K, see Megighian A
Rowland DM, see Patten C
Roy RR, see Huey KA
Roy RR, see Monti RJ
Russell IW, Feldman EL: Impai

Russell JW, Feldman EL: Impaired glucose tolerance—does it cause neuropathy? 1109

Russell ŘÍR, Helps B-A, Helms PJ: Normal values for phrenic nerve latency in children, 1548

Russo D, see Jung HH Rutkove SB: Effects of temperature on

neuromuscular electrophysiology, 867 Rutkove SB: Focal cooling improves neuronal conduction in peroneal neuropathy at the fibular neck, 1622 Rutkova SB, 1998 SN, TW

Rutkove SB, see Sax TW Rymer WZ, see Kamper DG

S

Sabatelli P, Lattanzi G, Ognibene A, Columbaro M, Capanni C, Merlini L, Maraldi NM, Squarzoni S: Nuclear alterations in autosomal-dominant Emery-Dreifuss muscular dystrophy, 826

Saito T, Takenaka M, Miyai I, Yamamoto Y, Matsumura T, Nozaki S, Kang J: Coagulation and fibrinolysis disorder in muscular dystrophy, 399

Samuelsson U, see Hyllienmark L Sandbrink F, see Molloy FM Sanger JR, see Yu P

Santos-Bento M, see Bentes C

Saperstein DS, Amato AA, Barohn RJ: Clinical and genetic aspects of distal myopathies, 1440

Saperstein DS, Katz JS, Amato AA, Barohn RJ: Clinical spectrum of chronic acquired demyelinating polyneuropathies, 311 Saperstein DS, see Katz JS

Sasaki R, Ito N, Shimamura M, Murakami T, Kuzuhara S, Uchino M, Uyama E: A novel CLCN1 mutation: P480T in a Japanese family with Thomsen's myotonia congenita, 357

Sauter W, see Damian MS
Sax TW, Linfante I, Lichtenstein SH,
Rutkove SB: Diabetic amyotrophy with
ipsilateral loss of the saphenous sensory
response, 1404

Schaumburg HH, see Verghese J Schenone A, see Grandis M Schattner U, see Tarnopolsky MA Schmelzer JD, see Kihara M Schneider M, see Dalle C

Schneider U, see Rollnik JD Schneider W, see Frerichs O

Schoer BGH, Wehling S, Blottner D: Cell death and apoptosis-related proteins in muscle biopsies of sporadic amyotrophic lateral sclerosis and polyneuropathy, 1083

Schröder R, see Müller T Schubert M, see Rollnik JD

Schulte-Mattler WJ, Georgiadis D, Zierz S: Discharge patterns of spontaneous activity and motor units on concentric needle electromyography, 123

Schulte-Mattler WJ, Müller T, Georgiadis D, Kornhuber ME, Zierz S: Length dependence of variables associated with temporal dispersion in human motor nerves, 527

Schwarz M, see Koehler J
Sciruicchio V, see de Tommaso M
Scotto M, see de Carvalho M
Sedano MJ, see Infante J
Seel RT, see Walker WC
Selcen D, Kupsky WJ, Benjamins D:
Myonathy with muscle spindle exce

Myopathy with muscle spindle excess: A new congenital neuromuscular syndrome? 138

Senchak A, see Draviam R Seror P: Brachial plexus neoplastic lesions

Seror P: Brachial plexus neoplastic lesion assessed by conduction study of medial antebrachial cutaneous nerve, 1068

Seror P: Simplified orthodromic inching test in mild carpal tunnel syndrome, 1595

Sethna NF, see Meier PM Sghirlanzoni A, see Lauria G Sheean G, see Spruijt L

Shefner JM: Excitability testing in clinical neurophysiology—what, why, and when? 845

Shefner JM, see Simmons Z Sheldon RJ, see Cockman MD

Shen LY, see Chen ZY Shimamura M, see Sasaki R

Shimizu N, see Ono S Siggelkow S, see Rollnik JD

Simmons Z, Epstein DK, Borg B, Mauger DT, Kothari MJ, Shefner JM: Reproducibility of motor unit number estimation in individual subjects, 467

Simonetti S: Electrophysiological study of forearm sensory fiber crossover in Martin-Gruber anastomosis, 380

Simonetti S, see Baba M

Singleton JR, Smith AG, Bromberg MB: Painful sensory polyneuropathy associated with impaired glucose tolerance, 1225

Sjödahl R, see Morren GL Skrabek RQ, Anderson JE: Metabolic shifts and myocyte hypertrophy in deflazacort treatment of mdx mouse cardiomyopathy, 192

Sluka KA, Kalra A, Moore SA: Unilateral intramuscular injections of acidic saline produce a bilateral, long-lasting hyperalgesia, 37

Smith AG, see Singleton JR Smith TS, see Benditt JO

So YT, Zu L, Barraza C, Figueroa KP, Pulst S-M: Rippling muscle disease: Evidence for phenotypic and genetic heterogeneity, 340

Sobue G, see Yamamoto M Soriano SG, see Logigian EL Specchio LM, see de Tommaso M Specchio N, see de Tommaso M Spinelli A, see de Tommaso M

Spruijt L. Naviaux RK, McGowan KA, Nyhan WL, Sheean G, Haas RH, Barshop BA: Nerve conduction changes in patients with mitochondrial diseases treated with dichloroacetate, 916 Squarzoni S, see Sabatelli P

Stål P, see Jergović D
Staniscia T, see Manente G
Stauten W, see Wedekind C
Steinberg JG, see Dousset E
Steinberg SM, see Molloy FM
Stephan DA, see Koul RL
Stewart HG, see Weber M
Stoeter P, see Marx JJ
Stögbauer F, see Ørstavik K

Störmer M, see Haeseler G Stotz PJ, Bawa P: Motor unit recruitment during lengthening contractions of human wrist flexors, 1535

Strichartz GR, see Khodorova A Stubbs Jr EB, see Lawlor MW Su C-Y, see Lille ST Suarez JI, see Chémali KR

Suchy H, see Lille ST Sugihara R, Kumamoto T, Ito T, Ueyama H, Toyoshima I, Tsuda T: Human muscle protein degradation in vitro by eosinophil cationic protein (ECP), 1627 Suh D, see Wilkins JT Sullivan MJ, see Green HJ Swash M, see de Carvalho M Swift TR, see Rivner MH Sved NA, see Molloy FM

# T

treatment effects in CIDP with anti-MAG/SGPG IgM antibody, 701 Takács V, see Zádor E Takahashi M, see Kihara M Takahashi T, Ueno T, Taniguchi H, Ohyama T. Nakamura Y: Modulation of H reflex of pretibial and soleus muscles during mastication in humans, 1142 Takenaka M, see Saito T Tan E, see Erdem S Taniguchi H, see Takahashi T Taplin RH, see O'Hara AJ Tarnopolsky MA, Parshad A, Walzel B. Schlattner U, Wallimann T: Creatine transporter and mitochondrial creatine kinase protein content in myopathies,

Tagawa Y. Yuki N. Ohnishi A, Hirata K.

Hosokawa S: Parameters for monitoring

682 Tarnopolsky MA, see Baker SK Taylor IL. Gandevia SC: Transcranial magnetic stimulation and human muscle fatigue, 18 Thickbroom GW, see Phillips BA Thoemke F. see Marx [] Thomas CK, see Zijdewind I Thompson PH, see Poussu AM Timmer J, see Lauk M Tohgi H, see Nagane Y Tombs SM, see Feeney SJ Tonali P, see Valeriani M Tonelli MR, see Benditt JO Torrieri F, see Manente G Toyoshima I, see Sugihara R Trimble MH, Brunt D, Jeon H-S, Kim H-D: Modulations of soletts H-reflex excitability during gait initiation: central versus peripheral influences,

Tsuda T, see Sugihara R
Tsuzaka K, Ishiyama T, Pioro EP,
Mitsumoto H: Role of brain-derived
neurotrophic factor in wobbler mouse
motor neuron disease, 474
Tsuzaka K, see Mitsumoto H
Turkawski SJJ, van Eijden TMGJ: Action

Turkawski SJJ, van Eijden TMGJ: Action potential shape of rabbit masseter motor units and jaw angle, 1551 Tusing LD, see Patel AR

# U

Uchino M, see Sasaki R Udina E, see Navarro X Ueno T, see Takahashi T Ueyama H, see Sugihara R Uncini A, see Manenee G Urban PP, see Koehler J Urban PP, see Marx JJ Urbanits S, see Lahrmann H Utsugisawa K, see Nagane Y Uyama E, see Sasaki R

# V

Valentin FC, see Richardson JK Valeriani M, Fraioli L, Ranghi F, Giaquinto S: Dipolar source modeling of the P300 event-related potential after somatosensory stimulation, 1677 Valeriani M, Le Pera D, Tonali P: Characterizing somatosensory evoked potential sources with dipole models: Advantages and limitations, 325 Van de Donk NWCI, see Eurelings M van den Berg LH, see Eurelings M van der Werff JFA, see Meek MF van der Woude LHV, see de Ruiter CJ van Dijk JG, Pondaag W, Malessy MJA: Obstetric lesions of the brachial plexus, van Eijden TMGJ, see Turkawski SJJ van Es HW, see Eurelings M Vandenborne K, see Gregory CM Vanuxem D, see Vanuxem P Vanuxem P, Vanuxem D, Raharison L, Aubert M, Pouliquen G, Deslangles O: Maximal exercise and muscle energy metabolism after recovery from exercise hyperthermia syndrome, 1071 Vecchiarelli B, see Mondelli M Venosa RA, see Kotsias BA Verghese J. Bieri PL. Gellido C. Schaumburg HH, Herskovitz S: Peripheral neuropathy in young-old and old-old patients, 1476 Verschuuren JJ, see Wirtz PW Versino M, Romani A: Test-retest reliability of combined sensory index, Vodušek DB, see Podnar S Vorgerd M. Gencik M. Mortier J. Epplen JT, Malin J-P, Mortier W: Isolated loss of γ-sarcoglycan: Diagnostic implications in autosomal recessive limb-girdle muscular dystrophies, 421 Voth D, see Koehler I Vucurevic G, see Marx [] Vuillon-Cacciutolo G, see Decherchi P

# W

Wagstaff SC, see Yin Q Walker WC, Keyser-Marcus LA, Johns JS, Seel RT: Relation of electromyography-induced pain to type of recording electrodes, 41 Wallimann T, see Tarnopolsky MA Wallin BG, see Norrsell U Walter S, see Morren GL Walters RJL, Kiernan MC, Murray NMF, Bostock H: Distal excitability properties of median motor axons, 1695 Walters RJL, Murray NMF: Transcarpal motor conduction velocity in carpal tunnel syndrome, 966 Walzel B, see Tarnopolsky MA Wanschitz J. see Lahrmann H Ward AR, Robertson VJ: Variation in motor threshold with frequency using

kHz frequency alternating current, 1303

Watkins SC, see Draviam R Watson BV, Nicolle MW, Brown JD: Conduction block in neuralgic amyotrophy, 559

Watson BV, Rose-Innes A, Engstrom JW, Brown JD: Isolated brachialis wasting: An unusual presentation of neuralgic amyotrophy, 1699

Watson BV, see Nicolle MW Weber M, Eisen A, Stewart HG, Andersen PM, Hirota N: The physiological basis of conduction slowing in ALS patients homozygous for the D90A CuZn-SOD mutation, 89

Weber M, see Eisen A Wedekind C, Stauten W, Klug N: A normative study on human facial F waves, 900

Weeks JB, see Bilodeau M Wehling S, see Schoser BGH Weinberg DH, see Gorson KC Weinsier RL, see Hunter GR Weinsier RL, see Larson-Meyer DE Weinstein R, see Gorson KC Weiss MD, Luciano CA, Quarles RF

Weiss MD, Luciano CA, Quarles RH: Nerve conduction abnormalities in aging mice deficient for myelin-associated glycoprotein, 1380

Werner RA, Gell N, Franzblau A, Armstrong TJ: Prolonged median sensory latency as a predictor of future carpal tunnel syndrome, 1462

Wertsch JJ, see King JC Wesslau C, see Norrsell U Wheatley MJ, see Kaul MP

White JD, Bower JJ, Kurek JB, Austin L: Leukemia inhibitory factor enhances regeneration in skeletal muscles after myoblast transplantation, 695

Wieringa B, see de Groof AJC Wijdicks EFM, see Burns TM

Wilkins JT, Krivickas LS, Goldstein R, Suh D, Frontera WR: Contractile properties of adjacent segments of single human muscle fibers, 1319

Williams G, see Anderson JL.
Wilmshurst JM, Bye A, Rittey C, Adams C,
Hahn AF, Ramsay D, Pamphlett R,
Pollard JD, Ouvrier R: Severe infantile
axonal neuropathy with respiratory
failure, 760

Wintzen AR, see Wirtz PW Wirtz PW, de Keizer RJW, de Visser M, Wintzen AR, Verschuuren JJ: Tonic pupils in Lambert–Eaton myasthenic syndrome, 444

Wokke JHJ, see Eurelings M Wolfe BM, see Jakobi JM

Wolfe G, see Katz JS Wood SM, Jarratt JA. Barker AT, Brown BH: Surface electromyography using electrode arrays: A study of motor neuron disease, 223

Wright NC, see Kilmer DD Wuytack F, see Zádor E

# X

Xu JG, see Chen ZY

Yamamoto M, Ito Y, Mitsuma N, Li M, Hattori N, Sobue G: Pathology-related differential expression regulation of NGF, GDNF, CNTF, and IL-6 mRNAs in human vasculitic neuropathy, 830

Yamamoto Y, see Saito T

Yin Q, Kemp GJ, Yu L-G, Wagstaff SC, Frostick SP: Neurotrophin-4 delivered by fibrin glue promotes peripheral nerve regeneration, 345 Young P, see Ørstavik K

Yu L-G, see Yin Q

Yu P, Matloub HS, Sanger JR, Narini P: Gait analysis in rats with peripheral nerve injury, 231

Yuki N, see Kuwabara S Yuki N, see Tagawa Y

# Z

Zádor E, Mendler L, Takács V, De Bleecker J, Wuytack F: Regenerating soleus and extensor digitorum longus muscles of the rat show elevated levels of TNF-α and its receptors, TNFR-60 and TNFR-80, 1058

Zhuang W, Eby JC, Cheong M, Mohapatra PK, Bredt DS, Disatnik M-H, Rando TA: The susceptibility of muscle cells to oxidative stress is independent of nitric oxide synthase expression, 502

Ziemann U, see Boroojerdi B Ziems P, see Frerichs O

Zierz S, see Müller T

Zierz S, see Schulte-Mattler WJ

Zifko UA, see Lahrmann H

Zijdewind I, Thomas CK: Spontaneous motor unit behavior in human thenar muscles after spinal cord injury, 952

Zilko PJ, see Phillips BA


Zochodne DW, see Lacomis D

Zotou K. see Chroni E

Zu L, see So YT

Zurakowski D, see Meier PM

Zwarts MJ, see Gilhuis HJ



# MUSCLE & NERVE



Official Journal of the American Association of Electrodiagnostic Medicine

# **SUBJECT INDEX TO VOLUME 24**

This index gives the first page of the article in which the indexed subject occurs. The reader is referred to the author index for the full title of the article.

# A

α-actinin, 1627 4A syndrome, 292 Aδ nerve fibers, 496 Abnormality, 307 Acetylcholine receptor, 203, 410 Acid, 37 Acid maltase deficiency, 984 Acidosis, 394 Acquired neuromyotonia, 834 Action potential, 1026, 1551 Activity-dependent hyperpolarization, 254 Acute hypokalemic paralysis, 297 Acute motor axonal neuropathy, 54, 288 Addison's disease, 1040 Adenosine triphosphate production, 1188 Adrenalectomized, 1040 Adult polyglucosan body disease, 984 Advance care planning, 1706 Advance directive, 1706 Adynamic ileus, 963 Afferent fibers, 59 Afterhyperpolarization, 662 Age, 935, 1156 Aging, 98, 211, 542, 1113, 1134, 1219 Allgrove syndrome, 292 ALS, 845, 1659 Alternating current, 1303 Amyloidosis, 1396 Amyotrophic lateral sclerosis, 89, 292, 403, 467, 564, 769, 821, 1083, 1510, 1659, 1706 Anal sphincter, 1232 Anesthetic, 736

Animal model, of amyotrophic lateral

Apoptosis, 1083, 1575
Arterial blood gases, 403
Arthrogryposis, 138
ASIC, 37
ATP production, 654
ATPase, 387
Atrophy, 1647
Atrophy factor, 893
Authorship, 1274
Autoimmunity, 203
Autonomic nervous system, 481
Axon, 372
Axon–glia interaction, 456
Axonopathy, 288, 456, 1197, 1380

# B

β-agonist, 211, 1687 Basal ganglia, 716 Bax, 1083 Bcl-2, 1083 bFGF, 192 Biological concordance, 1319 Biopsy, 387 Blink reflex, 425, 1327, 1520 Body mass index, 551, 1462 Book Reviews Aids to the Examination of the Peripheral Nervous System (4th Ed.), 975 Critical Care Neurology, 839 Magnetic Stimulation of the Human Nervous System, 299 Management of Persons with Chronic Neurologic Illness, 446 Myasthenia Gravis and Myasthenic Disorders, 446 Neurology of the Newborn, 4th Edition, Principles of Neural Science, 4th Edition, Transcranial Magnetic Stimulation, 705

Boston Carpal Tunnel Questionnaire,

Brachial plexus, 1068, 1312, 1388, 1451

Botulinum toxin, 1567

Brachialis, 1699

Brachial plexus palsies, 1093

Bradycardia, 981 Brain-derived neurotrophic factor, 474 Brainstem infarction, 1327 Brainstem topography, 1327 Branched chain amino acids, 284 Breast cancer, 1068 Bulbar involvement, 834

# C

C3-C4 propriospinal system, 1437, 1554 CAG expansion, 1520 Calmodulin, 1575 Carbamazepine, 834 Carbohydrates, 297 Cardiomyopathy, 192, 1542 Cardiotrophin-1, 769 Carnitine palmitovltransferase, 984 Carpal tunnel syndrome, 107, 130, 380, 935, 966, 1020, 1078, 1097, 1248, 1462, 1562, 1595, 1607 Causes of fainting, 981 Caveolin, 1575 CD44, 1359 CD57, 701 Cell survival, 1575 Central activation failure, 925 Central demyelination, 292 Central motor conduction time, 89 Cerebellum, 716 Cerebral palsy, 1352 Cervical, 952 Cervical root stimulation, 559 Cervicobrachial involvement in diabetic radiculoplexopathy, 794 Charcot-Marie-Tooth disease, 1380 Chiari II malformation, 425 Children, 1339, 1548 Chromatin, 826 Chromosome 4, 352 Chromosome 17p11.2 deletion, 1149 Chronic heart failure, 69 Chronic inflammatory demyelinating polyneuropathy, 311, 1278 Chronic respiratory failure, 451 CIDP, 701

sclerosis, 769

Ankle angle, 231

antibody, 778

Anisometric contraction, 4

Anomalous innervation, 380

Anti-GM1 antibody, 54

Anti-SGPG antibody, 701

Antispasticity agents, 1607

Antinociception, 254

Anomalous motor branch, 1248

Anti-MAG antibody, 701, 1278

Anti-myelin associated glycoprotein

Ciliary neurotrophic factor, 830 Citochrome c oxidase, 1665 Citrate synthase, 1665 CLC-1, 357 CLCN1, 357 Clenbuterol, 211, 1647, 1687 Clinical score, 555 Clonidine, 254 Coactivation, 673 Coagulation and fibrinolysis, 399 Cold, 867 Collagen, 428, 821 Collateral reinnervation, 1168 Collateral sprouting, 288 Collision, 559 Combined sensory index, 1078, 1097 Complex regional pain syndrome, 1261 Complication of intramuscular injection, 134 Compound sensory action potential, 1213 Computer simulation, 1635 Concentric, 417 Conduction block, 527, 559, 698, 1622 Conduction velocity, 372, 662, 1496 Confocal microscopy, 262, 410 Congenital myopathy, 138 Congenital neuroblastoma, 138 Continuous motor unit activity, 630 Contractile properties, 1113 Contractility, 1283 Contraction pattern, 1365 Contraction type, 4 Contracture, 340 Contralateral reinnervation, 1703 Cooling, 1622 Cortical maps, 602 Corticomotoneuronal system, 89

Cross-correlation analysis, 1365 Current–threshold relationship, 1695 Cutaneous afferents, 1503

Corticomotoneurons, 564

Creatine monohydrate, 682

Critical illness myopathy, 973

Critical illness polyneuropathy, 973

Creatine transporter, 682

Corticospinal tract, 1554

Creatine kinase, 1188

D

D-dimer, 399
D90A CuZn-SOD mutation, 89
De novo mutation, 1149
Decomposition, 223
Deflazacort, 192
Demyelinating neuropathy, 1093
Denervation, 1026, 1083, 1647, 1687
Depression, 512
Desmin, 1090
Diabetes, 555, 1109, 1476
Diabetes mellitus, 1225, 1229
Diabetic amyotrophy, 794, 1404
Diabetic foot, 1496
Diabetic lumbosacral radiculoplexopathy, 794

Diabetic neuropathy, 622, 794, 845 Diaphragm, 30, 1388 Diaphragm muscle, 428 Diaphragmatic paralysis, 760 Dichloroacetate, 916 Dichloroacetic acid, 916 Diffusion, 77 Dipolar source modeling, 325, 1677 Discharge rate, 4, 123 Distal acquired demyelinating symmetric neuropathy, 311 Distal myopathy, 352 Disuse, 211 Disuse muscle atrophy, 893 Domain, 77 Dorsal sural nerve, 817 Doublet, 744, 925 Drop-out, 1303 Duchenne, 787 Duchenne muscular dystrophy, 77, 488, 1468, 1575 Dynamic contractions, 744 Dynamometry, 1526 Dynein, 1468 Dysautonomia, 963 Dystonia, 1567 Dystrobrevin, 1575 Dystroglycan, 262, 1575 Dystrophin, 77, 262, 502, 1468, 1575, 1627 Dystrophy, 682, 787

E

EMG guidance, 1567 Eccentric contractions, 1181 Elderly, 1476 Electrical stimulation, 364, 1303 Electrode array, 223 Electrodiagnosis, 555, 1149, 1595 Electromyographic signals, 98 Electromyography, 123, 417, 753, 1040, 1050, 1156, 1391, 1699, 1703 Electrophysiology, 59, 867, 1380, 1548 Emerin, 826 Emery-Dreifuss muscular dystrophy, 826 End-of-life, 1706 Energy impairment, 394 Entrapment syndrome, 698 Eosinophil cationic protein, 1627 Epidemiology, 1462 Epidermal nerve fibers, 1034 Epilepsy, 630 Essential tremor, 716 Excitability, 883, 1503, 1695 Excitability testing, 845 Exercise, 1181 Exercise economy, 654 Exercise hyperthermia syndrome, 1071 Exercise intensity, 654 Exercise intolerance, 69, 984 Exocytosis, 581 Experimental, 809 Extensor digitorum longus, 1219 External anal sphincter muscle, 946 Extra Na' per action potential, 1026

F

F wave, 900 FK506 (tacrolimus), 905, 1601 Facial muscle, 1202 Facial nerve, 900 Facial nerve injury/repair, 1202 Facial paralysis, 1703 Facioscapulohumeral muscular dystrophy, 352 Faint, 981 Fas, 1083 Fascicle, 1699 Fatigue, 18, 59, 211, 1173, 1219 Fiber type, 893 Fibrin and fibrinogen degradation products, 399 Fibrin glue, 345 Finite element modeling, 223 First-generation adenovirus, 488 Focal myopathy, 969 Focal myositis, 433 Force-frequency relationship, 1332 Fourier analysis, 1365 Fracture table, 116 Free fatty acid, 1071 Free radical, 502 Functional electrical stimulation, 744 Functional relevance, 602

G

Gait analysis, 231 Ganglionopathy, 1034 Gastrointestinal motility, 963 GCG repeats, 120 Gene-dosage effect, 357 Gene expression, 1283 Gene therapy, 488 Genetic aspects, 1440 Ghost authorship, 1274 Giant cells, 1403 Glial cell line-derived neurotrophic factor, Glutaric aciduria, 984 Glycemic control, 240 Glycogen depletion, 848 Glycolytic enzymes, 1188 Glycolytic pathway, 984 Glycoside, 821 GM1 antibodies, 1396 Golden retriever muscular dystrophy, 488 Golgi, 127 Grb2, 1575 Group IV afferents, 247 Guillain-Barré syndrome, 54, 288, 963

H

Hand brace, 1020 Hand configuration, 1607 Hand dimensions, 1607 Heat, 867 Height, 1134 Hematological malignancy, 1295 Hemifacial spasm, 1567 Hepatitis C virus, 433 Hereditary neuropathy with liability to pressure palsies, 1093, 1149 Heterogeneity, 1093 High-frequency attenuation, 527 H-NMR spectroscopy, 192 Hodgkin's disease, 834 H-reflex, 809, 1142, 1352, 1371 Human immunodeficiency virus, 433 Human tremor, 1365 Huntington's disease, 1520 Hydroxylvsine, 821 Hyperalgesia, 37 Hyperkalemic periodic paralysis, 713 Hypertrophic cardiomyopathy, 138 Hypertrophy, 1647 Hypothermia, 1622 Hypoxia, 364

# .

Idiopathic neuropathy, 1229 Idiopathic polyneuropathy, 1225 Immunoglobulin therapy, 54 Immunohistochemistry, 127, 421 Immunosuppressant, 1601 Impaired glucose tolerance, 1109, 1225, 1229 In situ hybridization, 1058 Inclusion-body myositis, 1440 Infantile onset, 760 Inferior trunk, 1068 Inflammation, 37, 428 Inflammatory myopathy, 682, 1562, 1627 Informed consent, 614 Inherited, 1440 Inherited neuropathies, 456 Injury, 1388 Innervation ratio, 4 Insufficient cerebral perfusion, 981 Insulin, 622 Insulin-dependent diabetes mellitus, 240 Insulin-like growth factor I, 622, 893 Insulin-like growth factor I receptor, 622 Integrin, 1575 Interleukin-6, 830 Intermediate dorsal cutaneous nerve, 689 Interneurons, 1554 Interpolated-twitch technique, 925 Intraoperative monitoring, 1352 Intrarater reliability, 787 Intravenous immunoglobulin, 778, 1396 Involuntary muscle contraction, 952 Inward rectification, 254 Isaacs' syndrome, 151 Ischemia, 534, 1503 Ischemic neuropathy, 1601 Isometric contraction, 211

# J

Jitter, 941, 1635 Joint torque, 273

# K

KCNAI, 630 Kell protein, 1346 Knee joint, 1482 Knee joint angle, 667

# L

Lactate, 394, 1071 Lactic acid, 59 Lactic acidemia, 916 Lambert-Eaton myasthenic syndrome. 444, 1236, 1239 Lamin, 826 Laminin, 192 Latency time, 1232 Lateral force transmission, 848 Lengthening contraction, 4, 1535 Leukemia inhibitory factor, 695, 893 Lewis-Sumner syndrome, 311 Limb-girdle muscular dystrophy, 421, Lithium therapy, 297 Local anesthetic, 634 Localized nodular myositis, 433 Long-train nerve-stimulation test, 357 Low-frequency fatigue, 1156, 1332 Lower body negative pressure, 481 Lower limb, 325 Lymphoma, 1068

# M

Magnetic resonance spectroscopy, 654 Magnetic stimulation, 89, 1232 Malnutrition, 1692 Mammalian neuromuscular junction, Manual muscle testing, 787 Maple syrup urine disease, 284 Martin-Gruber anastomosis, 380 Masseter reflex, 425 Mastication, 1142 Masticatory muscle, 1551 Maximal exercise, 1071 Maximal force, 1319 Maximal shortening velocity, 1319 Maximal voluntary contraction, 364 McLeod syndrome, 1346 mdx mouse, 77, 192, 410, 428, 502, 695, Mechanoreceptor distribution, 1213 Mechanoreceptors, 1482 Medial antebrachial nerve, 1068 Medial cord, 1068 Medial dorsal cutaneous nerve, 689 Medial intermuscular septum, 698 Medial longitudinal fasciculus, 1327 Median nerve, 966, 1248, 1462, 1503, Medium chain acylCoA dehydrogenase,

Magnetic resonance imaging, 1312, 1526,

Meissner corpuscles, 1213 Membrane acetylcholine receptors, 1283 Merosin, 262 Metabolic enzymes, 387 Metabolic monitoring, 648 Metabolic signaling, 1188 Method of levels, 1339 Method of limits, 1339 Microdialysis, 648 Microspheres, 1601 Midline deviation, 231 Mild CTS, 1595 Mitochondria, 170 Mitochondrial disease, 648, 682, 916 Mitochondrial enzymes, 1188 Mitochondrial function, 1665 Mitochondrial myopathy, 394 Mitochondrial RNA, 893 Mitochondrial structural abnormalities, Mixed connective tissue disease, 1562 MM isozyme of creatine kinase, 399 Modeling, 1612 Modulation, 602 Monocarboxylate transporters, 394 Monoclonal gammopathy, 1295, 1312 Monoclonal gammopathy of undetermined significance, 809 Mononeuritis multiplex, 438 Mononeuropathy, 551 Morvan's syndrome, 151 Motor and sensory axonal neuropathy, 760 Motor axons, 1695 Motor conduction, 1391 Motor control, 1612 Motor control mechanisms, 1437 Motor cortex, 18, 564, 602, 1000 Motor endplate, 1567 Motor evoked potential, 18, 112 Motor nerve conduction, 527, 559 Motor neuron, 18, 372, 474, 1113, 1535, 1554 Motor neuron disease, 223, 474, 769 Motor threshold, 1303 Motor unit, 4, 223, 372, 542, 952, 1113, 1168, 1535, 1551 Motor unit architecture, 848 Motor unit counting, 467 Motor unit fiber spatial distribution, 848 Motor unit interactions, 848 Motor unit number estimation, 467, 845, Motor unit physiology, 848 Motor unit potentials, 151, 946 Mouse, 941, 1090 mRNA, 517 Multifocal acquired demyelinating sensory and motor neuropathy, 311 Multifocal motor neuropathy, 311, 1396 Multinodular polymyositis, 433 Multiple sclerosis, 89, 1173 MUNE, 467, 845, 1659 Muscle, 37, 59, 127, 211, 867, 1542 Muscle activation, 1040, 1156 Muscle atrophy, 1687 Muscle biopsy, 969, 973 Muscle cramps, 340

Muscle denervation, 1168 Muscle differentiation, 799 Muscle dystrophy, 1468 Muscle fatigue, 98 Muscle fiber morphology, 848 Muscle fiber type, 4, 387, 654 Muscle fibers, 1202 Muscle fibrosis, 134 Muscle glycogenosis, 984 Muscle inactivation, 925 Muscle inhibition, 1482 Muscle length, 1551 Muscle mass, 433, 799 Muscle pH, 37 Muscle regeneration, 1058 Muscle speed, 1173 Muscle spindle, 138 Muscle strength, 211, 1391 Muscle synergies, 273 Muscle vibration, 112 Muscular dystrophy, 192, 262, 352, 399, 428, 502, 695, 1181, 1440, 1710 Musculocutaneous nerve, 1699 MuSK, muscle-specific kinase, 1283 M-wave, 364, 1156 Myasthenia gravis, 203, 512, 1236, 1239, 1359 Myelin, 456 Myelin-associated glycoprotein, 1380 Myoblast, 695, 1058 Myoblast fusion, 799 Myoblast transplantation, 77 Myokymia, 151, 1711 Myopathy, 340, 1181, 1346, 1440, 1692 Myosin, 1627 Myosin beavy chain, 47, 211, 517, 1202 Myostatin, 893 Myotonia, 340, 634, 713

# N

Myotrophic factor, 799

Na\* influx, 1026 2nd lumbrical-interosseous latency difference, 966 Nd:YAG laser, 496 Necrosis, 1575 Needle electrode, 417 Needle electromyography, 946 Neoplastic lesion, 1068 Nerve, 867 Nerve amplitude, 1134 Nerve blood flow, 1601 Nerve conduction, 240, 307, 817, 916, 1489 Nerve conduction study, 107, 130, 380, 555, 845, 935, 1050, 1388 Nerve conduction velocity, 1134 Nerve distal latency, 1134 Nerve graft, 905 Nerve growth factor, 830 Nerve guide, 753 Nerve injury, 799 Nerve regeneration, 288, 905, 1687 Nerve repair, 59 Neural adaptation, 542 Neuralgic amyotrophy, 559, 1699

Neuroacanthocytosis, 1346 Neurofilament, 456, 1380, 1510 Neurologic examination, 1496 Neuromuscular activity, 517 Neuromuscular disease, 170, 1181 Neuromuscular disorders, 451 Neuromuscular junction, 410, 867, 941, 1236, 1239 Neuromuscular propagation, 98 Neuromyotonia, 151, 630, 1711 Neuronal nitric oxide synthase, 410 Neuropathic pain, 634, 1261 Neuropathy, 240, 778, 1034, 1050, 1109, 1229 Neuropathyterminal deoxynucleotidyltransferase-mediated nick end labeling, 1083 Neurophysiological classification, 1020 Neurophysiology, 867, 1113, 1489, 1607 Neurotonia, 151 Neurotrophic cytokines, 769 Neurotrophic factor, 47, 474, 769 Neurotrophin, 345 Nitric oxide, 30, 247, 502, 1468 Nitric oxide synthase, 410, 474, 502, 1468, NK cell, 701 NKT cells, 1359 Nociceptors, 1261 Noninvasive positive pressure ventilation, Normal deviates, 307 Normative study, 900 Nuclear domains, 1319 Nuclear factor kappaB, 534 Nuclear matrix, 826

# 0

Obesity, 1692
Obstetric nerve repair, 1451
Occupational medicine, 1462
Oculopharyngeal muscular dystrophy, 120
Oligodendrocytes, 456
Opioids, 963
OPMD, 120
Orthodromic, 1489
Orthodromic inching test, 1595
Orthopedic surgery, 116
Orthostatic tremor, 716
Oscillations, 716
Oxidative metabolism, 1665
Oxidative stress, 502

# P

<sup>31</sup>P MRS, 1665 P300, 1677 Pacinian corpuscles, 1213 Pain, 37, 417 Paramyotonia congenita, 713, 736 Paraneoplastic syndrome, 834 Paraprotein, 778 Paraproteinemia, 1278 Parasympathetic nervous system, 481 Paresthesia, 1078 Parkinson's disease, 716 Passive stiffness, 1090 Patterns of muscle involvement, 1526 Peak aerobic power, 69 Pediatric neuromuscular testing, 787 Pendulum test, 1612 Percentiles, 307 Perforin, 1359 Peripheral demyelination, 292 Peripheral myelin protein-22, 1093 Peripheral nerve, 254 Peripheral nerve injury, 231, 1371 Peripheral nerve regeneration, 345 Peripheral nervous system diseases, 170 Peripheral neuropathy, 154, 555, 817, 834, 916, 1261, 1476 Peroneal nerve, 1622 Peroneal neuropathy, 1622 PGP9.5, 1034 Phase-spectral analysis, 1365 Phenotype, 120 Phosphofructokinase, 984 Phosphoglycerate kinase, 984 Phosphoglycerate mutase, 984 Phosphorylation, 456, 1575 Phrenic nerve, 1388 Phrenic nerve latency, 1548 Physical therapy, 1000, 1173 Plasma exchange, 778 Plasmapheresis, 54, 1396 Plasticity, 602, 1000 POEMS syndrome, 1295 Poly-adenosine-diphosphate-ribose polymerase, 30 Polymyalgia rheumatica, 1403 Polymyositis, 433 Polyneuropathy, 809, 1295, 1312 Positive predictive value, 107 Positive sharp waves, 123 Posterior cruciate ligament, 1482 Posterior interosseous nerve, 969 Potassium channel, 630 Potassium chloride, 59 Potassium-aggravated myotonia, 713 Potassium-depleting disorders, 297 Practice parameter, 1236 Prediction interval, 467 Prednisone, 428, 1403 Prefrontal cortex, 112 Pretibial muscles, 1142 Prognosis, 935, 1197, 1451 Progressive systemic sclerosis, 154 Propofol, 713, 736 Propriospinal axons, 1437 Propriospinal neurons, 1437 Prosaposin, 799 Protection of research subjects, 614 Protons, 37 Proximal leg weakness, 1404 Pudendal neuropathy, 116 Pupillary dysfunction, 444 Pyruvate dehydrogenase, 916

# Q

Quadriceps muscle, 667 Quality of life, 403, 512 Quantal release, 581 Quantification, 946 Quantitative muscle testing, 787 Quantitative sensory testing, 1339

# R

R<sup>^</sup>. 1097

Radial nerve, 969 Radial neuropathy, 134 Reactive astrocytosis, 1510 Reactive oxygen species, 534 Reciprocal inhibition, 673 Recording window, 1659 Recovery cycle, 883 Recovery from fatigue, 1219 Recruitment, 387, 1535 Reference intervals, 1339 Reference values, 900 Reflex modulation, 1371 Regenerated muscle fibers, 410 Regeneration, 47, 695 Rehabilitation, 1000, 1173 Reinnervation, 905 Relaxation test, 1090 Reliability, 1391 Reperfusion, 534 Repetitive nerve stimulation, 1236, 1239 Repetitive transcranial magnetic stimulation, 112 Reproducibility, 1659 Respiratory failure, 760 Respiratory muscle strength, 403 Responsibility, 1274 Reverse transcription-polymerase chain reaction, 893, 1058 Rheumatoid arthritis, 154 Rhizotomy, 1352 Rippling muscle disease, 340, 1542 Roux-en-Y gastric bypass, 1692

# S

Safety factor, 1635 Saposins, 799 Sarcoglycan, 421, 1575 Sarcomere, 1542 Sarcopenia, 211, 1219 Sarcospan, 1575 Schwann cell, 456 Sciatic nerve, 905 Scleroderma, 1562 Scorpion toxins, 634 Self-anastomosis, 59 Sensitivity, 946 Sensorimotor polyneuropathy, 1197 Sensory, 809, 883 Sensory conduction velocity, 1595 Sensory ganglionopathies, 1034 Sensory mononeuropathy, 689 Sensory nerve, 1489 Sensory nerve conduction, 689, 809 Sensory neuropathy, 438, 1229

Short-chain acylCoA dehydrogenase, 984 Short-chain 3-hydroxyacyl-CoA dehydrogenase, 984 Short segment incremental stimulation, Signaling, 1575 Silent period, 18 Single fiber, 1219 Single fiber electromyography, 1236, 1239 Single motor units, 848 Single-fiber electromyography, 941, 1635 Size principle, 1535 Sjögren's syndrome, 154 Skeletal muscle, 30, 47, 69, 247, 1219, 1332, 1468, 1647 Skeletal muscle arteritis, 1403 Skeletal muscle fiber type, 1665 Skin and central temperatures, 1071 Skin biopsy, 1034 Skinned fibers, 1319 Sleep-disordered breathing, 451 Slow depolarizations, 634 Small-fiber neuropathy, 1225 SOD1 mice, 1510 SOD1 mouse, 1510 Sodium channel, 713, 736 Sodium channel myotonias, 713 Sodium channelopathies, 713 Sodium-potassium pump, 69 Soleus, 1090, 1219 Soleus muscle, 1142 Somatosensory evoked potentials, 325, Somatosensory stimuli, 1677 Spasticity, 1352, 1612 Spectrin, 1627 Spinal cord, 1554 Spinal cord injury, 952 Spinal cord isolation, 517 Spinal muscular atrophy, 1168 Spirometry, 403 Spontaneous activity, 123 Sporadic inclusion body myositis, 1526 Spread of expression, 488 Stance phase, 231 Standard of emergency care, 614 Static contraction, 364 Static posture, 273 Step length, 231 Stimulation patterns, 744 Stimulus-response, 883 Strength, 1040 Strength-duration time constant, 883 Strength training, 542 Stretch reflex, 1612 Stroke, 273, 673, 1000 Subthreshold, 1303 Sudden infant death syndrome, 984 Superficial peroneal nerve, 689 Sural nerve, 622, 817, 1503

Sural sensory nerve action potentials,

Surface electromyography, 223

Surgical release, 130

Surrogate consent, 614

1248

Survival, 403

Swing phase, 231

Serum potassium levels, 997

Sympathetic nervous system, 481, 1261 Sympathetic skin response, 130 Synaptic transmission, 581 Synaptic vesicles, 581 Syntrophin, 1575 Systemic lupus erythematosus, 154

# T

T-1 root, 1068

Tactile sensibility, 1496 Tactile stimulation, 1213 Task, 1156 Taurine, 192 Temperature, 867, 1622 Temperature sensibility, 1496 Temporal dispersion, 527 Temporal lobe, 1677 Tension, 372 Terminal care, 1706 Terminal latency index, 1278 Test-retest reliability, 1097 Test-retest reproducibility, 467 Tetanus, 925 Thalidomide, 1050 Thenar motor branch, 1248 Thenar muscles, 952 Therapy, 614, 778 Thermal injury, 1283 Thiamine, 916 Thigh atrophy, 1404 Thigh pain, 1404 Thomsen's myotonia congenita, 357 Threshold, 1303 Threshold electrotonus, 845, 883 Threshold tracking, 845, 1503 Thymus, 203, 1359 Tibialis anterior muscle, 1283 Toxicity, 1050 Training, 69 Transcranial magnetic stimulation, 18, 112, 602, 1437 Transection, 753 Transneuronal degeneration, 564 Transporters, 581 Treatment, 614, 1567 Tremor, 716 Trigeminal nerve, 1327 Tube repair, 905 Tumor necrosis factor, 1058 Twitch, 1551 Twitch-interpolation technique, 667 Type I cells, 127 Type II fiber atrophy, 1692

# U

Ubiquitin, 1510 Ulnar, 551 Ulnar neuropathy, 380, 698 Unclassified, 1197 Upper extremity, 273 Upper limb, 325 Upper limb weakness, 794 Urine, 821 Utrophin, 1575

Sepsis, 30

# V

Valsalva maneuver, 481 Variability, 1391 Vasculitic neuropathy, 830 Vasculitis, 154 Vasodilation, 981 Vasovagal syncope, 981 Vear, 127 Vecuronium, 941 Video analysis, 753 Voltage-operated, 736 Volume conduction, 1489 Voluntary activation, 98, 667 Voluntary control, 673

# W

Walking, 1371 Walking track, 231 Wallerian degeneration, 284, 1261 Western blot, 394 Wobbler mice, 769 Wrist muscles, 1535

# X

XK protein, 1346

# Z

ZD 7288, 254

